


Prüfbericht-Nr.: <i>Test Report No.:</i>	50276258 001	Auftrags-Nr.: <i>Order No.:</i>	244166037 244230734	Seite 1 von 124 Page 1 of 124	
Kunden-Referenz-Nr.: <i>Client Reference No.:</i>	1809187	Auftragsdatum: <i>Order date:</i>	2019-08-16		
Auftraggeber: <i>Client:</i>	Qingdao Haier Biomedical Co., Ltd. Haier Industrial Park, Economic Technology Development Zone, Qingdao 266510, P.R.China				
Prüfgegenstand: <i>Test item:</i>	Ultra Low Temperature Freezer				
Bezeichnung / Typ-Nr.: <i>Identification / Type No.:</i>	DW-86L100J				
Auftrags-Inhalt: <i>Order content:</i>	Type test				
Prüfgrundlage: <i>Test specification:</i>	EN 61010-1:2010 +A1 / IEC 61010-1:2010 +A1 EN 61010-2-011:2017 / IEC 61010-2-011:2016				
Wareneingangsdatum: <i>Date of receipt:</i>	2019-08-21				
Prüfmuster-Nr.: <i>Test sample No.:</i>	Engineering sample				
Prüfzeitraum: <i>Testing period:</i>	2019-12-21 to 2020-05-15				
Ort der Prüfung: <i>Place of testing:</i>	Qingdao Profound Testing Technology Service Co., Ltd.				
Prüflaboratorium: <i>Testing laboratory:</i>	TÜV Rheinland (Shanghai) Ltd.				
Prüfergebnis*: <i>Test result*:</i>	Pass				
geprüft von / tested by:		kontrolliert von / reviewed by:			
2020-05-27 Lihong Xiong/Trainee <i>Lihong Xiong</i>		2020-05-27 Ding Xiaojun/ Reviewer <i>Xiaojun Ding</i>			
2020-05-27 Alice Yang/Project Engineer <i>Alice Yang</i>		2020-05-27 Ding Xiaojun/ Reviewer			
Datum <i>Date</i>	Name / Stellung <i>Name / Position</i>	Unterschrift <i>Signature</i>	Datum <i>Date</i>	Name / Stellung <i>Name / Position</i>	Unterschrift <i>Signature</i>
Sonstiges / Other:					
- Attachment 1: Test report of IEC 61010-2-011:2016 /EN 61010-2-011:2017 (29 Pages)					
- Attachment 2: Photo Documentation (25 Pages)					
Zustand des Prüfgegenstandes bei Anlieferung: <i>Condition of the test item at delivery:</i>		Prüfmuster vollständig und unbeschädigt <i>Test item complete and undamaged</i>			
* Legende: 1 = sehr gut 2 = gut 3 = befriedigend 4 = ausreichend 5 = mangelhaft P(ass) = entspricht o.g. prüfgrundlage(n) F(ail) = entspricht nicht o.g. Prüfgrundlage(n) N/A = nicht anwendbar N/T = nicht getestet Legend: 1 = very good 2 = good 3 = satisfactory 4 = sufficient 5 = poor P(ass) = passed a.m. test specification(s) F(ail) = failed a.m. test specification(s) N/A = not applicable N/T = not tested					
Dieser Prüfbericht bezieht sich nur auf das o.g. Prüfmuster und darf ohne Genehmigung der Prüfstelle nicht auszugsweise vervielfältigt werden. Dieser Bericht berechtigt nicht zur Verwendung eines Prüfzeichens. <i>This test report only relates to the a. m. test sample. Without permission of the test center this test report is not permitted to be duplicated in extracts. This test report does not entitle to carry any test mark.</i>					



**TEST REPORT
IEC 61010-1
Safety requirements for electrical equipment for measurement,
control, and laboratory use
Part 1: General requirements**

Report Number: 50276258 001
Date of issue.....: See cover page
Total number of pages: See cover page

Name of Testing Laboratory preparing the Report.....: **TÜV Rheinland (Shanghai) Co. Ltd.**
 No.177, 178, Lane 777 West Guangzhong Road, Jing'an District, Shanghai, China

Applicant's name.....: **Qingdao Haier Biomedical Co., Ltd.**
Address: Haier Industrial Park, Economic Technology Development Zone, Qingdao, P.R. China

Test specification:
Standard: IEC 61010-1:2010, AMD1:2016
Test procedure: Type test
Non-standard test method: N/A

Test Report Form No......: IEC61010_1L
Test Report Form(s) Originator: VDE Testing and Certification Institute
Master TRF: 2017-10-20

Copyright © 2017 IEC System of Conformity Assessment Schemes for Electrotechnical Equipment and Components (IECEE System). All rights reserved.

This publication may be reproduced in whole or in part for non-commercial purposes as long as the IECEE is acknowledged as copyright owner and source of the material. IECEE takes no responsibility for and will not assume liability for damages resulting from the reader's interpretation of the reproduced material due to its placement and context.

If this Test Report Form is used by non-IECEE members, the IECEE/IEC logo and the reference to the CB Scheme procedure shall be removed.

~~This report is not valid as a CB Test Report unless signed by an approved CB Testing Laboratory and appended to a CB Test Certificate issued by an NCB in accordance with IECEE 02.~~

General disclaimer:

The test results presented in this report relate only to the object tested.
 This report shall not be reproduced, except in full, without the written approval of the Issuing CB Testing Laboratory. The authenticity of this Test Report and its contents can be verified by contacting the NCB, responsible for this Test Report.